

Sesje – QUIZ

Pytanie 1:

Oto fragment kodu:

```
$x=10
```

```
$session=New-PSSession -Computer Cantor8
```

```
Enter-PSSession -session $session
```

```
$y=3
```

```
Exit-PSSession
```

```
$y=6
```

```
Enter-PSSession -session $session
```

```
$x+$y
```

Jaki będzie wynik dodawania?

☐ 10

☒ 3

☐ 6

☐ 13

☐ 16

Pytanie 2:

Oto fragment kodu:

```
$x=10
```

```
$session=New-PSSession -Computer Cantor8
```

```
Enter-PSSession -session $session
```

```
$y=3
```

```
Exit-PSSession
```

```
$x+$y
```

Jaki będzie wynik dodawania?

☐ 3

☒ 10

☐ 13

☐ 0

Pytanie 3:

Nadawanie sesji nazwy pozwala na łatwiejsze zarządzanie sesją: wyszukiwanie, usuwanie, połączenia do sesji itp.

☒ True

☐ False

Pytanie 4:

Polecenie Disconnect-PSSession zamyka sesję i nie można już jej więcej używać. Kiedy chcesz dalej kontynuować pracę musisz utworzyć nową sesję.

☐ True

☒ False

Pytanie 5:

Polecenie Remove-PSSession

☐ Zamknie wszystkie sesje, które obecnie są otwarte. Nie usunie sesji w stanie disconnected

☒ Usunie wszystkie sesje, zarówno otwarte jak i rozłączone

☐ Usunie tylko sesje rozłączone. Sesje otwarte nie będą usuwane.

☐ Rozłączy wszystkie sesje